Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

SECTION ¹XXIIA, SIGNS⁴ AND IDENTIFICATION DEVICES⁵

A. ⁶**TITLE.**⁷

<u>This section shall hereafter be known and cited as the "Town of Wellesley Sign Bylaw" or "Sign Bylaw."</u>

- B. 9PURPOSE. 10
 - 1. ¹¹Purpose. This Section was enacted with the following purposes: ¹²
 - <u>a.</u> ¹³<u>To protect the rights of individuals and businesses to convey their messages through signs;</u> ¹⁴
 - <u>b.</u> ¹⁵To encourage the effective use of signs as a means of communication; ¹⁶

This section is adopted by the Town of Wellesley for the regulation and restriction of signs and other identification devices within the Town, ¹⁷

- <u>c.</u> ¹⁸To promote and ¹⁹ protect business viability ²⁰ and economic opportunity; ²¹
- to promote the public safety and convenience of the streets and roads, sidewalks and other pedestrian spaces, public property and private property within public view, ²²
 - d. 23 To improve traffic and pedestrian safety as it may be affected by distracting signs; 24
 - <u>e.</u> to²⁵<u>To</u>²⁶ preserve ²⁷for the present and future inhabitants ²⁸the natural ²⁹, ³⁰ <u>beauty and environment, as well as the</u>³¹ architectural and historical assets ³² and other qualities which distinguish ³³, <u>of</u> ³⁴ the Town ³⁵ as a highly desirable residential community, ³⁶; ³⁷
 - f. ³⁸To protect the public health, safety, and general welfare; ³⁹
 - g. to 40 protect business viability 41, economic opportunity, property values, educational values, 42 To encourage and promote 43 aesthetic integrity, village character, creativity and community appearance by exercising 44 prudent 45 reasonable 46 control 47, and 48, 49
 - $\underline{\underline{\mathbf{h}}}$ $\underline{\underline{\mathbf{to}}}^{50}\underline{\underline{\mathbf{To}}}^{51}$ encourage compatibility and harmony with surrounding buildings, land and land uses $\underline{}^{52}\underline{\underline{}}^{53}\underline{\underline{}}^{54}$

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

- <u>i.</u> ⁵⁵<u>To ensure the fair and consistent enforcement of sign standards:</u> and ⁵⁶
- B. DEFINITIONS. 57
 - <u>i.</u> ⁵⁸<u>To make it easier, faster, and more economically efficient to apply for a sign permit. ⁵⁹</u>

As used herein this SECTION XXIIA. the following words and terms shall have and include the following respective meanings: ⁶⁰

C. DEFINITIONS. 61

Words and phrases used in this Section shall have the meanings set forth herein. Words and phrases not defined herein, but defined in the Town of Wellesley Zoning Bylaw, shall be given the meanings set forth in such Bylaw. All other words and phrases shall be given their common, ordinary meaning, unless the context clearly requires otherwise. Headings or captions are for reference purposes only and shall not be used in the interpretation of this Section. 62

Awning 63 Abandoned 64 Sign - Any 65 and every sign displayed on an awning or canopy. An Awning or Canopy is any 66 sign associated with a use which has ceased operations for sixty (60) or more days and/or contains or exhibits broken panels, visible rust, visible rot, damaged support structures, or missing letters or which is otherwise dilapidated, unsightly, or unkempt. 67

Address Sign - A sign indicating the numerical location, or numerical and street location, of a particular property. 68

Animated Sign - Any sign, or part of a sign, that uses any movement or change of lighting or color to depict action or create a special effect or scene. 69

<u>Audible Sign - Any sign which emits a sound which is audible or emits a signal which can be converted into audible sounds, whether by radio or other means.</u> 70

<u>Awning - Any</u>⁷¹ device, fixed or retractable, of any material, which extends over or otherwise covers a sidewalk, courtyard, walkway, eating area, driveway, or other area or space whether that area or space is intended for pedestrians, vehicles or other purposes.⁷² <u>Also known as a "canopy."</u>

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

<u>Awning Sign - Any sign that is a part of, attached to, or displayed on an awning, canopy or other fabric, plastic or structural protective cover over a door, entrance, window, or outdoor service area.</u> ⁷⁴

Banner - A sign⁷⁵ placed above or across a public or private street or way with the prior written permission of the Board of Selectmen shall determine the terms and conditions for the use of such sign, including, but not limited to, dimensional and length of time of allowances. Neither flags nor awning signs are considered banners. 77

Beacon - Any light with one or more beams directed into the atmosphere or directed at one or more points not on the same lot as the light source; also, any light with one or more beams that rotate or move. ⁷⁸

<u>Banner</u> - Any and every sign whatever the nature of the material or manner of composition, message, or design, frequently displayed on a pole or staff which can be free standing or attached to a building or structure, and temporary or removable in nature. Official flags of governmental jurisdictions properly displayed shall not be considered as banners or otherwise considered as signs for the purposes of this Zoning Bylaw. Pulliding Sign - Any sign attached to any part of a building, as contrasted to a ground sign.

<u>Business Establishment</u> - ⁸¹<u>Each separate place of business</u> ⁸²<u>Any non-residential use,</u> ⁸³ whether or not consisting of one ⁸⁴(1) ⁸⁵or more buildings. ⁸⁶<u>In a building with more than one (1) non-residential tenant, each tenant shall constitute a separate business establishment.</u> ⁸⁷

<u>Changeable Copy - Any lights, lettering, or images that may be electronically or manually changed to form a sign message or messages.</u>

<u>Commercial Districts - Shall refer to the Business Districts, Business</u>
<u>Districts</u>⁸⁹ A, Industrial, Industrial A, Lower Falls Village Commercial District, and Wellesley Square Commercial District.

<u>Commercial Message - Any sign wording, logo, or other representation that, directly or indirectly, names, advertises, or calls attention to a business, product, service, or other commercial activity.</u>

<u>Director - The Planning Director of the Town of Wellesley, or his or her designee for a particular purpose.</u>⁹⁵

<u>Directional</u> 96 Signs - Any sign limited solely to directing 97 both vehicular and pedestrian 98 traffic within or setting out restrictions on the use of parking areas. 99

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

<u>Directory Sign - A sign which may be utilized by multiple business</u> <u>establishments occupying a single building with a shared public</u> <u>entrance.</u>¹⁰⁰

Entrance - A means of accessing a building. For the purpose of regulating signage the following are types of entrances: 101

- <u>a.</u> Public Entrance An entrance to a single business establishment available for use by the general public during hours of operation.
- <u>b.</u> 104 Principal Entrance The primary public entrance to a single business establishment. 105
- <u>c.</u> ¹⁰⁶Secondary Entrance A public entrance to a single business establishment that is additional to the principal entrance. ¹⁰⁷
- d. Shared Public Entrance A common public entrance that provides access to multiple business establishments but does not directly access any single business establishment. 109

<u>Externally Illuminated Sign - A sign illuminated by an external light source directed solely toward such sign.</u> ¹¹⁰

<u>Facade of the Business Establishment</u> - That portion of the building wall facing a street or containing a public entrance, which corresponds to the height and width of the interior space rented or owned by the tenant of the business establishment.¹¹¹

<u>Flag - Any fabric or bunting containing colors, patterns, or symbols used</u> as a symbol of a government or other entity or organization. 112

<u>Flashing Sign - A sign, the illumination of which is not kept constant in intensity at all times when in use or which exhibits marked changes in lighting effects.</u>

113

Gasoline Filling Station - A business engaged, as a primary purpose, in the retail dispensing of motor vehicle fuels to the public. 114

<u>Ground Sign - Any sign, supported by structures or supports that are placed on or anchored in the ground, independent from any building or other structure.</u>¹¹⁵

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

<u>Inspector of Buildings - The Inspector of Buildings of the Town of Wellesley, or his or her designee for a particular purpose.</u>¹¹⁶

<u>Height</u> The maximum¹¹⁷ vertical distance measured¹¹⁸ from the finished grade to the highest point of the sign or its supporting structure, whichever is higher.¹¹⁹ Institutional Use - For the purpose of this Section, shall mean any religious or educational use.¹²⁰

Internally Illuminated Sign - ¹²¹Each and every sign which utilizes ¹²²**A sign** illuminated by an internal light source, utilizing ¹²³ translucent panels, canvas or other fabric, letters, devices or other similar components to create an image by allowing light to pass through. ¹²⁴ **A "Reverse Lit" sign is not an internally** illuminated sign. ¹²⁵

<u>Lot - An area of land in single ownership with definite boundaries, established by a recorded plan or deed, including a lot created by combining several previously recorded lots, and used or available for use as a site of one (1) or more buildings or for any other purpose. 126</u>

 $\underline{\text{Moving}}^{127}\underline{\text{Signs}}^{128}\underline{\text{Sign}}^{129}$ - Any and every sign any part of which moves, is designed to move, or to be moved, by any means.

Multi-Faced Sign - Any sign consisting of more than one (1) sign face. 131

Non-Conforming Sign - Any¹³²-non-conforming¹³³ sign legally erected prior to the adoption of this section, or any amendment thereof¹³⁴, which does not conform to the requirements of this section or such future amendments.¹³⁵

Normal Grade - The lower of 1) existing grade prior to construction or 2) the newly established grade after construction, exclusive of any filling, berming, mounding, or excavating solely for the purpose of locating the sign. 136

Obscene Matter - As defined in M.G.L. Chapter 272, § 31. 137

Office and Professional Districts - Shall refer to the Administrative & Professional Districts, Limited Business Districts, Educational Districts, Educational Districts A, and Educational Districts B. 138

Out-of-Store Marketing Device - An out-of-store marketing device is any facility or equipment which is located outside of a primary building on a site zoned for non-residential uses, which is used for the primary purpose of

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

providing a product or service without the owner's or agent's immediate presence, and which is manufactured to include a color, form, graphic, illumination, symbol, and/or writing thereon to communicate information regarding the product or service provided thereby to the public. Examples of out-of-store marketing devices include: fuel pumps, bank ATM units, vending machines, newspaper racks, drink machines, ice boxes, and phone booths.

Open Face - A type of sign and/or sign illumination utilizing an open or clear plastic sign face, allowing the light source to be visible. 140

<u>Pennant - Any lightweight plastic, fabric, or other material, whether or not containing a message of any kind, suspended from a rope, wire, or string, usually in a series, designed to move in the wind. Also known and referred to as a streamer. 141</u>

Permanent Sign - Any sign of a type and construction as not to be easily or readily removed, which, when installed, is intended for permanent use.

Types of permanent signs include, but are not limited to, standing signs, wall signs, awning signs, and window signs.

142

<u>Person - A natural or legal person, including a partnership, trust, corporation or similar entity.</u>¹⁴³

<u>Portable Sign - A sign which is not permanently affixed to the ground or to a structure, including but not limited to signs on trailers which are parked in such a manner as to serve the purpose of a sign.</u>¹⁴⁴

Principal Building - The building in which the principal use of the lot is conducted. Non-residential lots with multiple principal uses may have multiple principal buildings, but storage buildings, garages, and other structures with clearly accessory uses shall not be considered principal buildings. 145

<u>Projecting Sign - A type of wall sign which is perpendicular to the wall to which it is attached and projects away from such wall.</u> ¹⁴⁶

Residential Districts - Shall refer to the Single Residence Districts, Single Residence Districts A, Town House Districts, General Residence Districts, General Residence Districts A, Multi-Family Residence Districts, Limited Residence Districts, and Limited Apartment Districts 147, 148

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

Reverse Lit - A type of sign and/or sign illumination using an opaque face and sides, generally constructed of aluminum, and a clear polycarbonate back or no back. Light does not pass through the face of the sign, but rather comes out of the back of the sign and is cast off the wall behind the sign, thereby creating a silhouette of the outline of the sign face. Also known and referred to as "Reverse Back Lit", "Halo", or "Halo Lit" sign or sign illumination. 149

Roof Sign - Any ¹⁵⁰and every ¹⁵¹sign ¹⁵²located ¹⁵³erected and constructed ¹⁵⁴ above, or projecting above, the lowest point of the eave or the top of a parapet wall of any building, or which is painted or otherwise attached or affixed to a roof. ¹⁵⁵

<u>Sign - Any device, fixture, placard, or structure affixed to, supported by, or suspended by a stationary object, building or the ground that uses any color, form, graphic, illumination, symbol, or writing to communicate information of any kind to the public.</u> 156

<u>Sign Face - That part of a sign that is or can be used for the purpose of advertising, identification or conveying a message.</u>¹⁵⁷

<u>Sign Permit - A permit issued by the Inspector of Buildings allowing a sign to be installed on a piece of property.</u> 158

<u>Sign</u> Any letter, word, symbol, drawing, picture, design, device, article or object that advertises, calls attention to or indicates any premises, persons, products, businesses or activities, or that conveys or is intended to convey any message whatever the nature of the material and manner of composition or construction. (Historical date plaques and markers approved by the Historical Commission and flags and insignia of governmental jurisdictions shall not be considered signs except when displayed for the purpose of commercial promotion.)¹⁵⁹

Standard Informational Sign - A sign with no one side consisting of an area greater than six (6) square feet, with a sign face made for short term use, containing no reflecting elements, flags, or projections and which, when erect, stands at a height not greater than six (6) feet. Sandwich board signs shall be considered to be a type of standard informational sign. 160

<u>Standing Sign</u> - 161 Any and every free standing 162 A permanent 163 sign erected on or affixed to the 164 land and includes any and every sign that is 165 ground and 166 not attached to a building. 167

 $\underline{\text{Temporary}}^{168}\underline{\text{Signs}}^{169}\underline{\text{Sign}}^{169} - \text{Any and every sign which by its design and/or use is temporary in nature}^{171}, \underline{\text{frequently composed of paper, posterboard}}$

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

and/or cardboard or other material attached so as to be visible through windows and glass doors or otherwise displayed on a property, typically containing messages relative to sale, lease, rental or construction of property, garage or yard sales and similar occasional uses, special sales, bazaars, dinners or other events. 172 and/or is not permanently mounted. Neither flags nor awning signs are considered temporary signs. 173

<u>Traffic</u>¹⁷⁴ <u>Signs</u> - Any sign limited solely to directing ¹⁷⁵traffic within or setting out restrictions on the use of parking areas. ¹⁷⁶

<u>Trailer or Vehicle Signs</u> For the purposes of this Sign Bylaw a vehicle, motor vehicle or self propelled vehicle shall be considered and regulated as a sign when or under such circumstances any such vehicle is not engaged in the usual business or work of the owner or lessee but is used merely or mainly for advertising purposes.

Town - The Town of Wellesley, Massachusetts. 178

Wall Sign - ¹⁷⁹Any and every sign attached to a ¹⁸⁰A permanent building sign ¹⁸²and sign ¹⁸³sign sign, temporary window sign, or directory, attached to or erected and confined within the limits of an outside wall of any building or structure, which is supported by such wall or building. Wall signs may be mounted parallel or perpendicular to a wall, subject to the requirements herein. ¹⁸⁷

 $\frac{\text{Window Sign}}{\text{graphics}^{189}} \textbf{sign attached,}^{190} \textbf{ painted or otherwise similarly affixed directly to the glass surface of a window or door 191, either inside or outside the building, and designed to be visible from the 193-outside of any building 194-exterior of the structure.}$

D. POWERS AND DUTIES OF PERSONNEL. 196

<u>The Inspector of Buildings is hereby authorized and directed to interpret, administer and enforce this Section.</u>¹⁹⁷

E. APPLICABILITY. 198

The standards and regulations of this Section shall apply to all signs erected, maintained, or replaced in any district within the corporate limits of the Town of Wellesley 199,200

F. SIGN PERMITS. 201

- 1. ²⁰²Sign Permit Required. Unless a Sign Permit is specifically not required by the standards of this Section, it shall be unlawful for any person to erect or replace a sign without first having obtained a Sign Permit. Refer to Table 22A.1 to determine if a Sign Permit is required for a specific sign type. ²⁰³
- 2. Permit application Submittal and Content. When required by this Section, Sign Permit applications shall be filed in the office of the Inspector of Buildings upon forms furnished by that office. The submittal of the following information, material and fees shall constitute a complete application: 205
 - a. The application shall describe and set forth the following: 206
 - <u>i. The type and purpose of the sign(s) as defined in this Section (i.e. wall sign, window sign, etc.);</u>²⁰⁷
 - <u>ii.</u> ²⁰⁸<u>Dimensions and area of the sign(s), including letter height and aggregate sign area if more than one (1) sign and/or sign face; ²⁰⁹</u>
 - iii. Materials and colors of the sign(s):²¹⁰
 - iv. Type of illumination;²¹¹
 - v. ²¹²Number, type and area of existing signs; ²¹³
 - vi. Height of sign;²¹⁴
 - <u>vii. The zoning district in which the subject property is located;</u>²¹⁵
 - <u>viii.</u> ²¹⁶The Business Certificate ID number, if a non-residential use; ²¹⁷
 - <u>ix. The name, address, telephone number and signature of the</u> business owner;²¹⁸
 - x. The name, address, telephone number and signature of the owner of the property upon which the sign is to be located.

 The owner's agent may sign if an authorization letter from the property owner is submitted; and 219

- <u>xi.</u> 220 <u>The name, address, and telephone number of the contractor.</u>
- b. The following attachments, and necessary copies as required by the Inspector of Buildings, shall be submitted:²²²
 - i. For standing signs, a location plan or survey showing the property upon which the subject sign is to be located, the proposed location of the subject sign on the property, the distance of the proposed sign from the subject property's boundaries, and all existing structures or buildings on the subject property. Such plan shall be to a legible engineer's scale;²²³
 - <u>ii. For all signs, dimensioned drawings of the sign including lettering, borders, proposed color scheme, height and other design elements. Such drawings shall be to a legible architect's scale;</u>²²⁴
 - iii. For wall, awning and window signs, a dimensioned drawing or photograph of the façade indicating the placement of the signs, area of the façade of the business establishment, and height of the sign. Such drawings shall be to a legible architect's scale; 225
 - iv. ²²⁶Color photographs of the property including all buildings and the proposed sign location; and ²²⁷
 - v. For all signs, a copy of a letter from the Planning Director indicating the recommendation of the Design Review Board or, for signs requiring a Special Permit, a copy of a letter from the Zoning Board of Appeals indicating approval of the Special Permit.²²⁸
- <u>c.</u> ²²⁹Appropriate fees, as set from time to time by the Board of Selectmen and/or the Planning Board, shall be paid. ²³⁰
- 3. Processing Time; Permit Issuance. The Town shall process all complete and accurate Sign Permit applications within thirty (30) days of the Inspector of Buildings' actual receipt of a complete (per F.2. of this Section) and accurate application and upon remittance of the appropriate fee. No Sign Permit shall be issued by the Inspector of Buildings sooner than thirty (30) days unless the advisory

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

recommendation of the Design Review Board has been received. If the advisory recommendation of the Design Review Board is not received within thirty (30) days, the Inspector of Buildings shall issue act on the Sign Permit. 232

- 4. ²³³Application Rejection. The Inspector of Buildings shall reject any application that is incomplete (per F.2. of this Section), that contains false material statements or omissions, or that is for a sign which would violate any standard within this Section within thirty (30) business days of receipt of said application. ²³⁴
- 5. ²³⁵Resubmission. A rejected application later resubmitted in conformity with this Section shall be deemed to have been submitted on the date of resubmission, instead of the original submission date. An application which is resubmitted shall meet all the standards for an original application. ²³⁶
- 6. 237 Permit Revocation. Should it be determined that a Sign Permit was issued in error and/or pursuant to an application containing a false material statement or omission, or for a sign not meeting the standards of this Section, the Inspector of Buildings shall revoke said permit and the subject sign shall be immediately removed. 238
- 7. Expiration Date. A Sign Permit shall become null and void if the sign for which the permit was issued has not been installed and completed within six (6) months after the date of issuance; provided, however, that where an applicant can demonstrate that a commercial entity was timely engaged to construct the permitted sign, but the fabrication has not yet been completed, one (1) ninety (90) day extension may be granted by the Inspector of Buildings. No refunds shall be made for a permit after the permit is issued. If later an individual desires to erect a sign at the same location, a new application for the sign must be processed and another fee paid in accordance with the fee schedule applicable at such time.

G. DESIGN REVIEW.²⁴¹

1. Permit under the provisions of this Section shall require the review of the Design Review Board (refer to subsection H. for DRB Special Permit review procedures). 243

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

- 2. ²⁴⁴Process. Following the Inspector of Buildings' receipt of a complete and compliant Sign Permit application (per F.2. of this Section), the applicant shall submit a Design Review Board application, attachments, and the appropriate number of copies to the Planning Director, upon forms furnished by that office. The submitted application and attachments shall include the information and documents as required under subsection I., Sign Permits, 2., Application Submittal and Content, a. and b., of this Section (excluding those letters indicating the recommendation of the DRB or the action of the ZBA). The application shall be scheduled for review by the Design Review Board at the next meeting of the Board not less than seven (7) days following the Director's receipt of the application. The Design Review Board shall render an advisory recommendation regarding the design of the sign within thirty (30) days of the Director's receipt of a Design Review Board application. Failure of the Design Review Board to make a recommendation within thirty (30) days from the date of the submission of application materials to the Director shall be deemed to constitute a recommendation for approval. The Director shall forward such recommendation in writing to the applicant and the Inspector of Buildings, to be either hand-delivered or mailed. 24
- 3. ²⁴⁶Criteria for Review. The Design Review Board's review and advisory recommendation of proposed signs shall be based on the following: ²⁴⁷
 - <u>a. Those criteria contained in Section XXII, Design Review, Part C., Design Criteria, Subpart 4., Signs and advertising devices, of this Bylaw;</u>²⁴⁸
 - b. The Design Guidelines Handbook as referenced in Section XXII,
 Design Review, Part D., Design Guidelines Handbook, of this Bylaw;
- A. GENERAL PROVISIONS²⁵⁰
 - <u>c.</u> ²⁵¹Consideration of how the proposed sign(s) relates to: ²⁵²

Signs shall relate to: 253

- i. ← ²⁵⁴The context of the building ²⁵⁵facade; ²⁵⁶facade; ²⁵⁷
- ii. \bullet^{258} Buildings in the immediate vicinity of the sign²⁵⁹; ²⁶⁰
- \bullet 261 The basic pattern of the street front to which the sign is oriented 262, 263, 264 and 265

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

<u>iv.</u> • ²⁶⁶The size, brightness, style, height and colors of other permanent structures and elements in the immediate vicinity ²⁶⁷; and ²⁶⁸

d. ²⁶⁹Consideration of whether the proposed sign(s) is: ²⁷⁰

- Signs shall be sized²⁷¹i. Sized²⁷² and located so as to avoid obscuring existing architectural features such as columns, sill lines, roof eaves²⁷³, ²⁷⁴ and cornices²⁷⁵. Signs shall be placed within the area of a building signband wherever one exists.²⁷⁶The sign²⁷⁷; ²⁷⁸
- <u>ii. Comprised of</u>²⁷⁹ materials²⁸⁰, ²⁸¹ <u>and</u>²⁸² colors ²⁸³ and lettering shall²⁸⁴ that ²⁸⁵ reflect the character of the building²⁸⁶, ²⁸⁷ to which it is attached or associated with; and ²⁸⁸

Signs which identify legally abandoned of discontinued businesses shall be removed within 60 days following the legal²⁸⁹-abandonment or discontinuance as ordered by the Inspector of Buildings²⁹⁰-²⁹¹

Maximum allowable sign dimensions per zoning district are detailed in part D. MAXIMUM ALLOWABLE SIGN DINENSIONS. 292

1. Awning Signs²⁹³

- a. The following provisions shall apply to all awning signs: 294
 - 1) Awning signs may only be located at the first floor level and must²⁹⁵ be painted on or attached flat against the surface of the awning or canopy and shall not ²⁹⁶ extend beyond the valance or any other part of the awning or canopy nor be attached to or displayed on the sides or underside;²⁹⁷
 - 2) The area of an awning sign shall not exceed 25% of the surface area of the awning or canopy eligible for placement of signs; ²⁹⁸
 - 3) Awning signs shall not be back lit or internally illuminated; and ²⁹⁹
 - 4) Awning signs shall not be used in combination with wall signs except as provided below.
- b. An awning sign which: 301

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

- 1) consists of letters only, not more that eight inches (8") in height and includes no other form of graphic, logo or symbol; and 302
- is located only on the valance of the awning or canopy and no other sign, graphic, logo or symbol is displayed on the awning or canopy; and³⁰³
- does not occupy more than 50% of the horizontal length of the valance of the awning or canopy, 304

shall not be subject to the limitations of C. General Provisions, paragraph 14. Maximum Number of Signs Allowed, paragraph 16. Maximum Area of Signs Allowed, and paragraph 1., a., 4) use in combination with wall signs, of this Section.³⁰⁵

2. Banners ³⁰⁶

A banner may be 307 placed above or across a public or private street or way with the prior written permission of the Board of Selectmen 308 upon such terms and conditions as it shall determine and in which case it shall not be subject to the limitations of C. General Provisions, paragraph 14. Maximum Number of Signs Allowed, and paragraph 16. Maximum Area of Signs Allowed. Other banners shall be subject to the limitations of C. General Provisions, paragraph 8. Temporary Signs of this Section. 309

3. Illumination of Signs 310

Illumination shall be³¹¹ by white, steady, stationary light shielded and directed solely ³¹²(or by silhouette) at the sign. The foregoing is applicable to signs exterior to a building and to permanent interior signs designed to be visible through a door or window. No sign may utilize translucent panels, canvas or other fabric, letters, devices or other similar components to create an image by allowing light to pass through. ³¹³ No sign shall be illuminated except while the business establishment or office is open to the public. No illumination shall be permitted which directs light onto any portion of any street or residential premises. ³¹⁴

4. Moving Signs 315

No moving sign shall be erected or maintained in any district. 316

5. Non-Conforming Signs³¹⁷

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

Any non-conforming sign may continue to be maintained but shall not be enlarged, ³¹⁸reworded, ³¹⁹redesigned or altered in any way unless it is brought into conformity ³²⁰. ³²¹Any such sign which has been destroyed or damaged to such an extent that the cost of restoration would exceed ³²²35 percent ³²³ of the replacement value of the sign at the time of the destruction or damage, shall not be repaired or rebuilt or altered unless in conformity with this ³²⁴section ³²⁵. ³²⁶

The exemption herein granted shall terminate with respect to any sign which: ³²⁷

- a. shall have been abandoned; or ³²⁸
- b. advertises³²⁹ or calls attention to any products, businesses or activities which are no longer carried on or sold, whether generally or at the particular premises; or ³³⁰
- c. shall³³¹ not have been repaired or properly maintained within ³³²60 days after notice to that effect has been given by the Inspector of Buildings. ³³³
- 6. Roof Signs³³⁴
 - No sign shall be erected or maintained on the roof of any building or structure in any district.
 - 7. Standing Signs ³³⁶
 - Standing Signs shall have a minimum setback of 15 feet which shall be measured to the nearest property boundary line 337 whether or not said line abuts a public or private street or way. 338 The standing sign shall be located on the same lot with the principal building. This section shall not exempt signs from 339 the corner clearance requirements contained within the Town Bylaws. 340
 - 8. Temporary Signs³⁴¹
 - Temporary signs shall be removed promptly after the sale, event or reason for the sign message has been concluded. Temporary signs shall not be maintained for more than a 30 day period, except as may be otherwise specifically provided below, as determined by the Inspector of Buildings, unless proper sign permits have been obtained.³⁴²
 - A temporary sign erected for the purpose of the sale, lease, rental or construction of real estate is not subject to the 30 day display limitation but shall be removed

	promptly after such sale, lease, rental or construction has been effected or
	completed. Temporary signs pertaining to construction shall not be erected prior
	to the commencement of work. ³⁴³
	Temporary signs which indicate garage or yard sales and similar occasional uses
	shall comply with the special regulations, adopted by the Board of Selectmen,
	governing such events and shall be removed immediately after the event. ³⁴⁴
	Temporary signs advertising special sales, bazaars, dinners or other events shall
	not require a permit or a special permit. ³⁴⁵
	iii. Displaying graphics, symbols, logos, and/or letters of a size that
	are proportional to the sign and the building to which it is
	attached or associated with, does not create a sign with a
	cluttered appearance, and are legible and visible to both vehicle
	operators and pedestrians; such graphics, symbols, logos, and/or
	letters on secondary signs should be proportionally smaller than
	those on a primary sign. 346
	Temporary signs placed on property which identify contractors performing work
	on that property shall be removed forthwith upon the completion of said work. 347
4. 348	Recommendation. The Design Review Board's advisory
<u> </u>	commendation shall take one of the following forms: 349
<u>100</u>	<u> </u>
9.	Traffic Signs 350
<u>a.</u>	³⁵¹ Approval: The Design Review Board shall recommend the approval
<u>—</u>	of proposed signs that meet the Criteria for Review and comply with
	all requirements of this Section. 352
	The regulations contained herein shall not apply to traffic signs not exceeding
_	four square feet in area.
<u>b.</u>	
	recommend the approval with conditions of proposed signs that
	comply with the requirements of this Section, but do not meet the
	Criteria for Review. The Design Review Board may recommend
	conditions that require changes to the sign; conditions shall relate to the Criteria for Review with the intent being that the conditions serve
	to conform the sign to such Criteria. 355
	to como in the sign to such criteria.
10	- Wall Signs 356
<u>c.</u>	357 Denial: The Design Review Board shall recommend denial of all
<u>=</u>	proposed signs that do not comply with the requirements of this
	Section: the Design Review Board may recommend denial of Sign

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

Permits that do not meet the Criteria for Review if, in the opinion of the Board, there are no possible conditions which will allow the sign to more closely meet the Criteria for Review.³⁵⁸

A wall sign shall be parallel to or perpendicular to a wall of the building and shall not project beyond the face of any other wall of the building, or above the top of the wall to which attached. A wall sign shall not project more than one foot, in the case of a sign parallel to the wall, or four feet in the case of a sign perpendicular to the wall, from the face of the wall to which attached, provided that in no case shall a perpendicular sign project into, on or over a public sidewalk, street or way. Any pre existing non-conforming sign which projects into, on or over a public sidewalk, street or way shall be subject to the provisions of the State Building Code regulating signs projecting into, on over a public sidewalk, street or way shall be subject to bonding and/or insurance requirements as determined by the Board of Selectmen. A sign consisting of a panel or other device hung or otherwise displayed to be viewed primarily from the outside through a window or door of any building shall be considered a wall sign. The area of any such sign shall be included in the calculation of the total allowable sign area. Sign area.

H. SPECIAL PERMITS. 364

- 11. Sign Permits³⁶⁵
- 1. 366 Special Permit Granting Authority. The Zoning Board of Appeals
 ("ZBA") shall serve as the Special Permit Granting Authority for all
 Special Permits for signs and 367 shall consider requests for 368 Special
 Permits 369 in accordance with this 370 subsection and Section XXV., Special
 Permit Granting Authority, of the Zoning Bylaw. 371

The Design Review Board shall review requests for sign permits submitted and shall, within 21 days of the receipt of the submission materials transmit its advisory recommendations regarding the design of the sign to the Inspector of Buildings and the applicant. No sign permit shall be issued by the Inspector of Buildings within this 21 day period, unless said recommendations have been received. If the advisory recommendations of the Design Review Board are not transmitted within the 21 day period the Inspector of Buildings may issue the sign permit. No sign shall be erected or placed prior to the issuance of a sign permit by the Inspector of Buildings.³⁷²

2. Special Permit May Be Sought. Special Permits may be considered and issued for any request for relief from the requirements of this Section; however, Special Permits may not be issued to allow those signs indicated in subsection I., Exempt and Prohibited Signs and Devices, 2., Prohibited Signs, b. through p., of this Section. 374

3. 37	Special Permits for Signs ³⁷⁵ ⁶ Required Findings. A Special Permit for a sign may be issued rovided the ZBA makes the following findings:
<u>a</u>	The Special Permit Granting Authority 378 shall consider requests for 379 special permits 380 in accordance with this 381 SECTION XXIIA. and SECTION XXV. of this Zoning Bylaw. The Special Permit Granting Authority may grant a Special Permit for a sign not meeting limitations of Sign Height, Maximum Number of Signs Allowed, Illumination of Signs, Maximum Area of Signs Allowed, and minimum setback, provided however, that the 382 The 383 sign is otherwise in compliance with the provisions of this Section 384 and provided further that: 385 386
<u>b</u>	a. — ³⁸⁷ Sign scale is determined to be in reasonable relation to development scale, viewer distance and travel speed, and sign sizes on nearby structures ³⁸⁸ ; ³⁸⁹ ; ³⁹⁰
<u>c.</u>	b. — ³⁹¹ Sign size, shape, and placement ³⁹² serves ³⁹³ serve ³⁹⁴ to define or enhance architectural elements of the building such as columns, sill lines, cornices, and roof edges, and ³⁹⁵ de ³⁹⁶ does ³⁹⁷ not unreasonably interrupt, obscure, or hide them ³⁹⁸ ³⁹⁹ ⁴⁰⁰
<u>d</u>	e.—401 Sign design is in 402 harmony with 403 other signage on the same or adjacent structures 404, and provides 405 reasonable continuity 406 in 407 with the 408 mounting location 409 and 410 411 height, proportions and materials 412 413 other signage on the same or adjacent structures 415 416
<u>e</u>	d.—— ⁴¹⁷ Sign materials, colors, lettering style, illumination and form are reasonably compatible with building design, neighborhood context and use ⁴¹⁸ ; and
<u>f.</u>	e. — 421 Sign size, location, design and illumination are not judged to present a safety hazard to vehicular or pedestrian traffic. 422
<u>a</u> g <u>Z</u> <u>H</u> B	The Heavily Design Review. Prior to the granting of a Special Permit by the BA, the Heavily Design Review Board shall Heavily Design Review Ba. Such recommendation on Heavily Design Review Design Review Design Review Design Review Design Review Design Shall Indicate which of the Heavily Design Review Desi

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

render a favorable report. Failure of the Design Review Board to make this failure of the Design Review Board to make failure failure of the Design Review Board to make failure failu

I. EXEMPT AND PROHIBITED SIGNS AND DEVICES. 447

- 1. Exempt. The following signs shall not count toward the total amount of signage allowed and shall be exempt from regulation under this Section: 449
 - <u>a.</u> 450 Any public notice or warning required by a valid and applicable federal, state, or local law, regulation, or statute; 451
 - b. 452 Any sign inside a building, not attached to a window or door; 453
 - **c.** 454 **Banners**; 455
 - <u>d.</u> 456 Address signs, the letter and number height of which does not exceed eight (8) inches; 457
 - <u>e.</u> 458 <u>Flags</u>; 459
 - f. 460 Works of art that do not include a commercial message; 461
 - g. ⁴⁶²Traffic control signs on private property, such as Stop, Yield, and similar signs, the face of which meet Department of Transportation standards and which contain no commercial message of any sort; and ⁴⁶³
 - h. Signs located on property owned by the Town and approved by the Board of Selectmen. Board of Selectmen.
- 2. Prohibited Signs. The following types of signs are prohibited in the Town: 466
 - <u>a.</u> 467 Any sign not specifically identified in Table 22A.1, Signage
 Allowances Based on Zoning District or Use, as allowed or any sign not allowed by the issuance of a Special Permit;468
 - **b.** 469 Promotional beacons, laser lights or images; 470

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

- c. 471 Audible signs: 472
- d. 473 Moving signs: 474

In no case, however, shall approval be granted for: 475

- 476 Roof signs: 477
 - A sign which uses more than two colors, with black and white considered as colors, if internally illuminated: 478
- ⁴⁷⁹Signs in the right-of-way, other than those belonging to a government, public service agency, or railroad:4
 - 2) A wall sign which exceeds in height the top of the wall;⁴⁸¹
- ⁴⁸²Signs mounted or located on a tree, utility pole, or other similar structure;4
- 3) A sign in a Residential District; 484
- ⁴⁸⁵Portable signs: ⁴⁸⁶
 - 4) A standing sign in Districts other than Residential Districts which exceeds in height 10 feet in Districts fronting on streets other than Worcester Street, 20 feet in Districts fronting on Worcester Street, or exceeds in area 50 feet in Districts fronting on streets other than Worcester Street, 100 feet in Districts fronting on Worcester Street, or is closer to the nearest property boundary line than 5 feet in Districts fronting on streets other than Worcester Street, or 10 feet in Districts fronting on Worcester Street: 487
- ⁴⁸⁸Signs which depict obscene matter or are considered obscene matter, as defined in M.G.L. Chapter 272, § 31;
 - A wall sign in Districts other than Residential Districts which exceeds in area 50 square feet in Office Districts, 75 square feet in Districts other than Office Districts fronting on streets other than Worcester Street, or 100 square feet in Districts other than Office Districts fronting on Worcester Street. 490
- ⁴⁹¹Signs which advertise an activity which is illegal under federal, state or local laws:
- Construction and Maintenance 493
 - ⁴⁹⁴Signs not in good repair, in violation of codes, or containing or exhibiting broken panels, visible rust, visible rot, damaged support structures, or missing letters;49

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

No sign shall be painted or posted directly on the exterior surface of any wall. All signs must be painted, posted or otherwise securely attached to a substantial intermediary removable surface which shall be securely attached to the building 497. The foregoing, however, shall not prevent 498 installation of a sign consisting of individual letters or devices securely attached to the exterior wall of the building. 499

<u>L. 500 Abandoned signs, identifying abandoned or discontinued business. Such signs shall be removed within sixty (60) days following the abandonment or discontinuance as ordered by the Inspector of Buildings 102,503</u>

The material and construction of any sign and intermediary surface and the manner of attaching the sign to the intermediary surface and the intermediary surface to the wall of the building shall be in accordance with applicable provisions of the State Building Code and with the reasonable requirements of the Inspector of Buildings. All signs, together with their structural elements, shall be kept in good repair and in a proper state of preservation to the reasonable satisfaction of the Inspector of Buildings. The Inspector of Buildings may order the removal of any sign that is not maintained in accordance with the provisions of this sold and sign and sign that is not maintained in accordance with the provisions of this sold and sign and sig

m. 508 Animated signs; flashing signs; 509

14. Maximum Number of Signs Allowed⁵¹⁰

n. Imitation traffic signs, signs which contain or are an imitation of an official traffic sign or signal or contain the words "stop," "go," "slow," "caution," "warning," or similar words in such a manner as to resemble official traffic control signs; 512

Unless otherwise provided herein there shall be not more than two of the four following types of signs: wall, window, standing, or awning for each business establishment, except that if a business establishment has more than one public entrance at street level there may be an additional sign, which shall not exceed 25 square feet or 10% of the facade of the business establishment whichever is less, attached to the wall, in which such entrance is located and at each such entrance, other than the wall to which the principal sign is attached. If a business establishment consists of more than one building, a secondary sign, not exceeding 25 square feet or 10% of the facade of the business establishment whichever is less, may be affixed to a wall of each such building, not including the building to which the principal sign is attached. In addition to the foregoing sign or signs, one directory of the business establishments occupying a building may be attached to the exterior wall of the building at each public entrance to the building. Such directory shall not exceed an area determined on the basis on one

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

square foot for each establishment occupying the building or six square feet in total area, whichever is less. 513

- o. Pennants: and 514
- 15. Gasoline Filling Stations and Garages⁵¹⁵
 - p. ⁵¹⁶Signs and/or portions of signs rented, leased, and/or purchased by an individual, group and/or business and located upon property to which such individual, group and/or business does not possess a Business Certificate ID to operate a commercial activity. This prohibition shall not apply to signs attached or affixed to, or an integral part of, out-of-store marketing devices or to standard informational signs installed on a property during such time that permitted construction activity is occurring, the property is being considered for sale, lease, or rent, and/or beginning thirty (30) days before and ending five (5) days after any federal, state or local election, ballot initiative or referendum.

Gasoline filling stations and garages may, if they elect to do so, divide the principal sign area, to which they are entitled into separate signs attached to and parallel to the wall to which the principal sign may be attached and indicating the separate operations or departments of the business, provided, however, that the total size of the separate signs shall not exceed the maximum size permitted under this section for a single exterior sign on such wall. In addition, one standing sign, indicating the company whose gasoline is being sold may be erected of such type, in such location, and in such manner as hereinabove provided. Signs displayed on structural canopies over gasoline pumps or gasoline pump islands shall be regulated as wall signs. On commercially zoned lots fronting on, and having primary vehicular access directly from Worcester Street, the allowed sign area may be divided between a wall sign and a standing sign pursuant to the issuance of a sign permit, provided the aggregate total maximum sign area shall not exceed 100 square feet, and provided the signs are otherwise in compliance with the provisions of this Section. 518

J. MEASUREMENT OF SIGN AREA AND HEIGHT. 519

- 16. Maximum Area of Signs Allowed 520
- 1. Measurement of Sign Area. 522
 - a. Generally. Sign area shall be computed as the area within the smallest single rectangle or square enclosing the extreme limits of the sign face including any cabinet or frame or material, texture, or color forming an integral part of the sign face used to differentiate the sign face from the structure upon which it is placed. 523 For purposes of determining the maximum size limitations, any intermediary

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

removable surface to which a sign is attached shall be deemed part of the sign 524;525,526 and any sign composed of separate letters, numbers 527,528 or symbols cut into or attached to a wall or painted on or otherwise attached to an awning, canopy 529,530 or window shall be deemed to occupy the entire area within a single 531 continuous perimeter 532 rectangle or square 533 enclosing the extreme limits of the sign, including any structural elements. 534 In determining the permissible sign area of a two sided sign, such as a standing sign or a projecting wall sign, both sides of the sign shall be considered. 535

- b. Structure. The computation of the area of a sign face shall not include the structure, supports, or uprights on which the sign face is placed or any portions of a sign structure that are not intended to contain any message or idea and are purely structural or decorative in nature, other than those parts contained within the rectangle or square that delimits the sign face. 537
- c. 538 Changeable Copy. For any signs on which the words, letters, figures, symbols, logos, fixtures, colors, or other design elements routinely change or are intended to be changed from time to time, the sign face area shall include the entire area within which any words, letters, figures, symbols, logos, fixtures, colors, or other design elements may be placed, together with any frame or material, texture or coloring forming an integral part of the sign face or used to differentiate the sign face from the structure upon which it is placed. 539
- d. Multi-Faced Signs. For multi-faced signs, the sign area shall be the sum of the area of both sign faces and shall be limited to the maximum sign area for the sign type in the specific zoning district or for the specific use. 541
- 2. 542 Measurement of Sign Height. 543
 - a. ⁵⁴⁴Ground Signs. The height of a standing sign shall be computed as the distance from the base of the sign at normal grade to the top of the highest component of the sign. Where the normal grade is below the normal grade of a public street, the sign base can be raised to the elevation of the normal grade of the street before the height limitations are applied (surveyor's certificate required). ⁵⁴⁵
 - <u>b.</u> ⁵⁴⁶<u>Building Signs. The height of a wall sign shall be determined to be the ⁵⁴⁷ vertical distance measured ⁵⁴⁸ from grade to the top of the highest attached component of the sign. ⁵⁴⁹</u>

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

K. LOCATION, CONSTRUCTION AND DESIGN STANDARDS. 550

- 1. Setback. Unless a more restrictive setback is specified otherwise in this Section, all ground signs, whether permanent or temporary, shall be set back at least fifteen (15) feet from the nearest property line, whether or not said line abuts a public or private street or way. 553
- <u>2.</u> ⁵⁵⁴Corner Clearance. All signs shall meet the corner clearance requirements contained within the Town Bylaws. 556
- 3. Sight-of-Way. No sign or any part thereof, except authorized government, public service agency, or railroad signs, shall be located in any right-of-way. Any pre-existing sign which projects into, on or over a public sidewalk, street or way shall be subject to the provisions of the State Building Code regulating signs such signs and shall be subject to bonding and/or insurance requirements as determined by the Board of Selectmen.
- 4. Section shall be constructed and installed in accordance with the applicable provisions of the State Building Code and with the reasonable requirements of the Inspector of Buildings. 563
- 5. Maintenance. All signs, together with the structural elements, shall be kept in good repair and in a proper state of preservation to the reasonable satisfaction of the Inspector of Buildings. The Inspector of Buildings may order the removal of any sign that is not maintained in accordance with the provisions of this section, the State Building Code and/or the Zoning Bylaw.
- 6. 569 Installation. 570 No sign shall be painted or posted directly on the exterior surface of any wall. 571 All signs must be painted, posted or otherwise securely attached to a substantial intermediary removable surface which shall be securely attached to the building 572; however, the foregoing shall not prevent the 573 installation of a sign consisting of individual letters or devices securely attached to the exterior wall of the building. 574 Installed signs shall display the name of the installer and the permit number issued by the Inspector of Buildings in a conspicuous location. 575
- <u>7.</u> ⁵⁷⁶<u>Illumination.</u> ⁵⁷⁷
 - $\underline{a.} \quad \overset{578}{\underline{Permitted: The following types of illumination shall be}}{allowed:} \quad \underline{allowed:} \quad \overset{579}{\underline{Permitted: The following types of illumination shall be}}$

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

- i. Externally Illuminated Signs: Signs may be externally illuminated street str
- <u>ii. Reverse Lit Signs: Signs may be reverse lit, illuminated by white light only.</u> 583
- <u>b.</u> ⁵⁸⁴<u>Prohibited: The following types of illumination shall be</u> <u>prohibited, except as may be permitted by the issuance of a</u> <u>Special Permit:</u> ⁵⁸⁵
 - i. 586 Internally Illuminated Signs; 587
 - ii. 588 Open Face Channel Letters; and 589
 - iii. Exposed neon tubing or exposed LEDs. 590
- <u>c.</u> ⁵⁹¹<u>Time: Unless a business establishment is open to the public, no sign shall be illuminated between the hours of 12:00 a.m. and 6:00 a.m. ⁵⁹²</u>

L. REGULATIONS BASED ON SIGN TYPE. 593

- 1. 594 Standing Signs. 595
 - <u>a. Location: Standing signs shall be located on the same lot with the principal building.</u> ⁵⁹⁶
- 2. 597 Wall Signs. 598
 - <u>a.</u> ⁵⁹⁹Orientation: A wall sign shall be mounted parallel or perpendicular to the wall of the building and shall not project beyond the face of the wall to which it is attached. ⁶⁰⁰
 - b. 601 Projection: A wall sign shall not project more than one (1) foot, in the case of a sign mounted parallel to a wall, or four (4) feet in the case of a sign mounted perpendicular to a wall, from the face of the wall to which it is attached. No wall sign shall project into, on or over a public sidewalk, street or way. 602
 - c. Location: Wall signs shall be mounted on the façade of the business establishment owned or leased by the Sign Permit applicant. 603

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

3. 604 Awning Signs. 605

- <u>a.</u> 606 <u>Location: Awning signs shall be mounted on the façade of the business establishment owned or leased by the Sign Permit applicant. 607</u>
- <u>b.</u> 608 <u>Display: Awning signs shall</u> 609 <u>be painted on or attached flat against</u> the surface of the awning or canopy and shall not 610 <u>be attached to or</u> displayed on the underside.
- 4. 612 Temporary Signs and Temporary Window Signs. 613
 - a. Registration: Prior to their installation, temporary signs and temporary window signs shall be registered with the Inspector of Buildings. 614
 - b. Time: Lots or business establishments upon which a temporary sign and/or temporary window sign is allowed, per Table 22A.1, Signage Allowances Based on Zoning District or Use, shall be limited to display such signs for a period not exceeding thirty (30) days with no more than three (3) such thirty (30) day periods permitted per calendar year. Thirty (30) day periods may be utilized consecutively. 615

M. SIGNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE. 616

If not otherwise stated, any sign not specifically allowed in a zoning district or for a specific use as provided herein shall be prohibited, except as otherwise provided for under this Section. The following table (Table 22A.1, Signage Allowances Based on Zoning District or Use) provides standards governing signs within specific zoning districts or for specific uses. Specific uses shall be allowed signage as indicated for such use rather than based on the zoning district of such use, unless the signage allowances of the zoning district are less restrictive than those indicated for the specific use. Signs for which a permit is not required shall meet all other provisions of this Section applicable to the subject sign.

4/13/2010 - DRAFT - SUBJECT TO CHANGE

ATTACHMENT

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

The sum of the areas of wall, window and awning signs of a business in the aggregate shall not exceed the lesser of the following two amounts: 618

a. 10% of the facade of the business establishment; 619

b. 50 square feet in Districts fronting on streets other than Worcester Street, or 75 square feet in Districts fronting on Worcester Street. 620

17. Lettering Height⁶²¹

The size of the letters shall be in proportion both to the sign and to the building. In addition, size of letters on secondary signs shall be proportionately smaller than the size of letters in a primary sign. 622

D. MAXIMUM ALLOWABLE SIGN DIMENSIONS 623

Where more than one of the allowed sign types is proposed, the aggregate area of all signs shall be considered. In these cases, letter height and sign area may have to be reduced as appropriate to meet the limitations of subparagraph 16 above and the following table. Where only one sign is proposed on a building or lot, it shall not exceed the maximum allowable area shown in the following table. 624

RESIDENTIAL - Single Residence, Single Residence A, General Residence, 625 General Residence A.

O THE PROPERTY				
Sign Type ⁶²⁷		Area ⁶²⁹	Number 630	Letter Height ⁶³¹
Standing or wall ⁶³²	4 ft. 633	1 sq. ft. 634	1 per lot ⁶³⁵	appropriate height to
wall ⁶³²		_	_	be placed in 1 sq. ft.
				area. 636
Temporary ⁶³⁷	6 ft. 638	6 sq. ft. ⁶³⁹	1 per lot ⁶⁴⁰	N/A ⁶⁴¹

OFFICE DISTRICTS - Administrative and Professional, Limited Business. 642

Sign Type ⁶⁴³	Height ⁶⁴⁴	Area ⁶⁴⁵	Number 646	Letter Height ⁶⁴⁷
Standing ⁶⁴⁸	6 ft. 649	15 sq. ft. 650	1 per building ⁶⁵¹	14 inches ⁶⁵²
Wall ⁶⁵³	15 ft. 654	15 sq. ft. 655	1 per building ⁶⁵⁶	14 inches *657
Temporary ⁶⁵⁸	15 ft. 659	25 sq. ft. 660	1 per lot ⁶⁶¹	N/A ⁶⁶²

4/13/2010 - DRAFT - SUBJECT TO CHANGE

ATTACHMENT Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

COMMERCIAL DISTRICTS – Business, Business ⁶⁶³ – A, Industrial, Industrial A, Lower Falls Village Commercial ⁶⁶⁴, ⁶⁶⁵ – Wellesley Square Commercial ⁶⁶⁶

A. Commercial Districts Fronting Worcester Street. 667

Sign Type ⁶⁶⁸	Height ⁶⁶⁹		Number 671	Letter Height ⁶⁷²
Standing ⁶⁷³	10 ft. 674	50 sq. ft. ⁶⁷⁵	1 per lot ⁶⁷⁶	18 inches ⁶⁷⁷
Wall ⁶⁷⁸	20 ft. ⁶⁷⁹	75 sq. ft. ** ⁶⁸⁰	1 per business ⁶⁸¹	18 inches *** 682
Window ⁶⁸³	N/A ⁶⁸⁴	10 sq. ft. **** ⁶⁸⁵	1 per business 686	8 inches ⁶⁸⁷
Awning ⁶⁸⁸	N/A ⁶⁸⁹	25% of awning or	1 per business ⁶⁹¹	8 inches ⁶⁹²
		canopy ** 690		
Temporary	N/A ⁶⁹⁴	25% of	1 per business ⁶⁹⁶	8 inches ⁶⁹⁷
window ⁶⁹³		window ⁶⁹⁵		
Temporary ⁶⁹⁸	15 ft. ⁶⁹⁹	25 sq. ft. 700	1 per lot ⁷⁰¹	N/A ⁷⁰²

4/13/2010 - DRAFT - SUBJECT TO CHANGE

ATTACHMENT Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

$\textbf{B. Commercial Districts Fronting Streets Other Than Worcester Street.}^{703}$

Sign Type ⁷⁰⁴	Height ⁷⁰⁵	Area ⁷⁰⁶	Number 707	Letter Height ⁷⁰⁸
Standing ⁷⁰⁹	6 ft. 710	25 sq. ft. 711	1 per lot ⁷¹²	14 inches ⁷¹³
Wall ⁷¹⁴	20 ft. 715	50 sq. ft. ** ⁷¹⁶	1 per business ⁷¹⁷	14 inches ⁷¹⁸
Window ⁷¹⁹	N/A ⁷²⁰	10 sq. ft. **** ⁷²¹	1 per business ⁷²²	8 inches ⁷²³
Awning ⁷²⁴	N/A ⁷²⁵	25 % of awning	1 per business ⁷²⁷	8-inches ⁷²⁸
		or canopy ** ⁷²⁶		
Temporary	N/A-730	25 % of		8 inches ⁷³²
window		window ⁷³¹		
***** ⁷²⁹				
Temporary ⁷³³	N/A ⁷³⁴	12 sq. ft. 735	1 per lot ⁷³⁶	N/A. ⁷³⁷

ALL OTHER DISTRICTS 738

Sign Type ⁷³⁹	Height ⁷⁴⁰	Area ⁷⁴¹	-Number-742	Letter Height ⁷⁴³
Standing ⁷⁴⁴	4 ft. 745	10 sq. ft. 746	1 per lot ⁷⁴⁷	appropriate height to
				be placed in 10 sq.
				ft. area. 748
Wall ⁷⁴⁹	15 ft. 750	10 sq. ft. ⁷⁵¹	1 per building ⁷⁵²	appropriate height to
				be placed in 10 sq.
				ft. area. 753
Temporary ⁷⁵⁴	6 ft. 755	12 sq. ft. 756	1 per lot ⁷⁵⁷	N/A ⁷⁵⁸

^{*} When applied directly to a building, without any existing sign-band, maximum letter height shall be 16. 759

	mergin sina	11 00 10.							
Table	Table 22A.1, SIGNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE 760								
	Zoning Districts and Uses ⁷⁶³								
Sign Type 761	Standard 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street	Commercial Districts Fronting Worcester Street	Gasoline Filling Stations 68	Institutional Uses ⁷⁶⁹		

Table 22A.1, SIGNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE 760								
		Zoning Districts and Uses ⁷⁶³						
<u>Sign</u> <u>Type</u> 761	Standard 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street 766	Commercial Districts Fronting Worcester Street 767	Gasoline Filling Stations	Institutional Uses 769	
AGE 770	Number of Signs	<u>1 per lot</u> ⁷⁷²	<u>2 per</u> building	• ⁷⁷⁴ 1 standing s • ⁷⁷⁶ 2 permanconsisting of results sign, 1 awe window sign (window signs in area) peeds establish	nent signs, no more than 1 rning sign, or 1 not to include 1 sq. ft. or less r business nment.	NA ⁷⁷⁸	1 standing sign per lot	
TOTAL PERMANENT SIGNAGE 770	Maximum Total Area	<u>1 sq. ft.</u> ⁷⁸¹	30 sq. ft. (per building) ⁷⁸²	For the sum of all wall, awning, and window signs, 50 sq. ft. or 10% of the area of the façade of the business establishmen t, whichever is less, per business establishmen t; for standing signs, 25 sq. ft.	For the sum of all wall, awning, and window signs, 75 sq. ft. or 10% of the area of the façade of the business establishmen t, whichever is less, per business establishmen t; For standing signs, 50 sq. ft. ft. ft.	100 sq. ft. ⁷⁸⁵	25 sq. ft. for lots fronting on streets other than Worcester Street; 50 sq. ft. for lots fronting on Worcester Street	
STANDING SIGNS ⁷⁸⁷	Permit Required 788	<u>No</u> ⁷⁸⁹			<u>Yes</u> ⁷⁹⁰			
STAN	Number of Signs	<u>1 per lot</u> ⁷⁹²	1 per building	<u>1 per lot</u> ⁷⁹⁴				

Table	Table 22A.1, SIGNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE 760									
	·	Zoning Districts and Uses ⁷⁶³								
Sign Type 761	Standard 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street	Commercial Districts Fronting Worcester Street	Gasoline Filling Stations 68	Institutional Uses 769			
	Maximum Area	<u>1 sq. ft.</u> ⁷⁹⁶	<u>15 sq. ft.</u> ⁷⁹⁷	25 sq. ft. ⁷⁹⁸	50 sq. ft. ⁷⁹⁹	50 sq. ft. for lots fronting on streets other than Worceste r Street; 75 sq. ft. for lots fronting on Worceste r streets	25 sq. ft. for lots fronting on streets other than Worcester Street; 50 sq. ft. for lots fronting on Worcester Street			
	Maximum Letter Height	<u>NA</u> ⁸⁰³	<u>14 inches</u> ⁸⁰⁴	<u>14 inches</u> ⁸⁰⁵	<u>18 inches</u> ⁸⁰⁶	14 inch fronting other tha Street; 1 lots fro	es for lots on streets n Worcester sinches for onting on er Street			
	Maximum Height ⁸⁰⁸	<u>4 feet</u> ⁸⁰⁹	<u>6 feet</u> ⁸¹⁰		<u>10 feet</u> ⁸¹¹	6 feet for lots fronting on streets other than Worcester Street; 10 feet for lots fronting on Worcester Street				
SIGN SIGN S813	Permit Required 814	<u>No</u> ⁸¹⁵		<u>Yes</u> 8	16	1				

Table	22A.1, SI	GNAGE AL	LOWANCES	BASED ON ZO	NING DISTRIC	T OR USE	760
			and Uses ⁷⁶³				
Sign Type 761	Standard 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street	Commercial Districts Fronting Worcester Street	Gasoline Filling Stations 68	Institutional Uses ⁷⁶⁹
	Number of Signs	<u>1 per lot</u> ⁸¹⁸	1 per building	street level pubeyond the prinutilized by the establishmer more than additional sallowed per had affixed to su building more than establishment common pube additional wadisplayed on the such sign may	l sign shall be ach additional ubic entrance, ncipal entrance, he business ment. 823 usiness usiness us occupying building, 1 sign shall be building, to be ch additional ng. 825 us occupied by 1 business which share a lic entrance, 1 ll sign may be ne building and to be located on the business which share a lic entrance, 1 ll sign may be ne building and to be located on the business which share a lic entrance, 1 ll sign may be ne building and to be located on the business which share a lic entrance, 1 ll sign may be ne building and to be located on the business was a lice entrance.	NA ⁸²⁸	
	Maximum Area ⁸²⁹	<u>1 sq. ft.</u> ⁸³⁰	15 sq. ft. 831	50 sq. ft. or 10% of the area of the façade of the business establishment , whichever is less. 832	75 sq. ft. or 10% of the area of the façade of the business establishment , whichever is less. 833	50 sq. ft. for lots fronting on streets other than Worceste	

<u>Table</u>	Table 22A.1, SIGNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE 760								
				and Uses ⁷⁶³					
Sign Type 761	Standard 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street	Commercial Districts Fronting Worcester Street	Gasoline Filling Stations 68	Institutional Uses ⁷⁶⁹		
			10% of the area of the wall to		r Street; 75 sq. ft. for lots fronting on Worceste r Street				
				wnich att	acnea.	14 inches			
	Maximum Letter Height ⁸³⁶	<u>NA</u> 837	<u>which att</u>		18 inches ⁸³⁹	for lots for lots fronting on streets other than Worceste r Street; 18 inches for lots fronting on Worceste r streets 440 Street			
	Maximum Height ⁸⁴¹	<u>4 feet</u> ⁸⁴²	<u>15 feet</u> ⁸⁴³	<u>20 fe</u>	<u>et</u> ⁸⁴⁴	<u>NA</u> ⁸⁴⁵			
846	Permit Required 847			<u>Yes</u>	848				
AWNING SIGNS ⁸⁴⁶	Number of Signs			1 per business establishment 850					
AWNING	Maximum Area ⁸⁵¹			25% of the area of the awning to we is affixed or 100 of the business whichever	which such sign of the façade establishment,				

Table 22A.1, SIGNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE 760							
		Zoning Districts and Uses ⁷⁶³					
Sign Type 761	Standard 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street Treet	Commercial Districts Fronting Worcester Street	Gasoline Filling Stations	Institutional Uses
	<u>Maximum</u>				854		
	<u>Letter</u> <u>Height</u> ⁸⁵³			<u>8 inch</u>	<u>ies</u> 034		
	Permit Required 856			Yes; No, if sign area is 1 sq. ft. or less ⁸⁵⁷			
WINDOW SIGNS 855	Number of Signs		2 per business establishment, consisting of 1 sign, 1 sq. ft. or less in area, and 1 sign greater than 1 sq. ft. in area. Window signs 1 sq. ft. or less in area shall not count toward the Maximum Total Area of all Permanent Signage. 859				
WINDO	Maximum Area ⁸⁶⁰			10 sq. ft. or 10° windows (exclude	% of the area of a ding doors) of the nt, whichever is I	<u>ll exterior</u> e business	
	Maximum Letter Height ⁸⁶²				<u>8 inches</u> ⁸⁶³		
<u>RY</u>	Permit Required 865		<u>No</u> 866				
DIRECTORY SIGNS ⁸⁶⁴	Number of Signs ⁸⁶⁷		1 per shared public entrance to a building occupied by more than 1 business establishment 868				
		1 sq. ft. per bu	sq. ft. per business establishment occupying the building or 6 sq. ft., whichever is less				
IONAL S	Permit Required		<u>No</u> 873				
DIRECTIONAL SIGNS ⁸⁷¹	Maximum Area ⁸⁷⁴						
RMA TION	Permit Required 877	<u>No</u> ⁸⁷⁸					

Table	22A.1, SI	GNAGE ALI	LOWANCES	BASED ON ZO	NING DISTRIC	T OR USE	760
	·	GNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE 760 Zoning Districts and Uses 763					
Sign Type 761	<u>Standard</u> 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street ⁷⁶⁶	Commercial Districts Fronting Worcester Street 767	Gasoline Filling Stations 68	Institutional Uses ⁷⁶⁹
	<u>Number</u>			<u>red an unlimited n</u>			
	o <u>f</u> Signs	thirty (30) da	ys before and o	ending five (5) day Illot initiative and/	<u>/s after any feder</u>	al, state or l	ocal election,
-							
Maximum <u>Area⁸⁸¹</u> No single sign face shall exceed 6 sq. ft. ⁸⁸²				. 882 			
	Maximum Height ⁸⁸³		3 feet	or 6 feet for post a	and arm type sigr	<u>าร</u> ⁸⁸⁴	
Permit Required 886 No Sign Permit is required, but the sign must be required with L.4.a. of this Section 887					l consistent		
	Number of Signs		1 per lot. Refer to L.4.b of this Section for time limits on the display of such signs 889				
TEMPORARY SIGNS ⁸⁸⁵	Maximum Area		25 sq. ft. ⁸⁹¹	12 sq. ft. ⁸⁹²	25 sq. ft. ⁸⁹³	12 sq. ft. for lots fronting on streets other than Worceste r. Street; 25 sq. ft. for lots fronting on Worceste r. Street; 4 sq. ft. for lots fronting on Worceste r. Street	<u>6 sq. ft.</u> ⁸⁹⁵
	Maximum Height ⁸⁹⁶			<u>15 feet</u>	897		<u>6 feet</u> 898
ARY WIN DOW	Permit Required			must be register	it is required, but red consistent wi nis Section ⁹⁰¹		

Table	Table 22A.1, SIGNAGE ALLOWANCES BASED ON ZONING DISTRICT OR USE 760						
_		Zoning Districts and Uses ⁷⁶³					
<u>Sign</u> <u>Type</u> 761	Standard 762	Residential Districts	Office and Professional Districts	Commercial Districts Fronting Streets Other Than Worcester Street	Commercial Districts Fronting Worcester Street	Gasoline Filling Stations	Institutional Uses 769
	<u>Number</u>			1 per business e	stablishment. Re	efer to L.4.b	
	of Signs			of this Section for	or time limits on t such signs	tne display	
	Maximum Area ⁹⁰⁴			25% of the area			
TING	Permit Required				<u>No</u> ⁹⁰⁸		
OUT OF STORE MARKETING DEVICE SIGNS	Number of Signs			1 sign shall be a	llowed on each o	out-of-store	
DEVICE (Maximum Area ⁹¹¹				14 sq. ft. ⁹¹²		
OUTO	Maximum Height ⁹¹³			No more than	2 feet above the	device ⁹¹⁴	
MENU SIGN ⁹¹⁵	Permit Required			<u>Yes</u> ⁹¹⁷			
	Number of Signs			<u>1 sign pe</u>	r drive-thru facilit	t<u>v</u> ⁹¹⁹	
MEN	Maximum Area ⁹²⁰				<u>10 sq. ft.</u> ⁹²¹		
	Maximum Height ⁹²²				<u>6 feet</u> ⁹²³		

N. NON-CONFORMING SIGNS. 924

or 10% of the total area of the facade of the business establishment whichever is less. Any non-conforming sign may continue to be maintained but shall not be enlarged, 926 redesigned or altered in any way unless it is brought into conformity 927 with the requirements of this Section and the Zoning Bylaw. This shall not include the substitution or interchange of poster panels.

Markup of Zoning Bylaw Section XXIIA Based on Town Meeting Article 30

painted boards, or dismountable material on non-conforming signs, which shall be permitted. 928 Any such sign which has been destroyed or damaged to such an extent that the cost of restoration would exceed 929 thirty-five percent (35%) 930 of the replacement value of the sign at the time of the destruction or damage, shall not be repaired or rebuilt or altered unless in conformity with this 931 Section 932 933

*** When applied directly to a building without any existing sign-band, maximum letter height shall be 20" high. 934

The exemption herein granted shall terminate with respect to any sign which: 935

- **** or 10 % of the total area of exterior windows of the business establishment excluding doors whichever is less. 936
 - a. 937 Shall have been abandoned: 938
- ***** Paper posterboard only. Such signs shall not be placed on any window with a permanent window sign. 940

 - c. Shall⁹⁴³ not have been repaired or properly maintained within ⁹⁴⁴sixty (60) days after notice to that effect has been given by the Inspector of Buildings.⁹⁴⁵

Document comparison by Workshare Professional on Monday, March 29, 2010 10:41:22 AM

Input:	
Document 1 ID	file://C:/Users/don/Documents/Wellesley/Signs/Existing
Document 1 1D	ToW Sign Bylaw.doc
Description	Existing ToW Sign Bylaw
Document 2 ID	file://C:/Users/don/Documents/Wellesley/Signs/ToW Sign
Document 2 1D	Bylaw Final Draft 3.29.10.doc
Description	ToW Sign Bylaw Final Draft 3.29.10
Rendering set	standard no color

Legend:			
<u>Insertion</u>			
Deletion			
Moved from			
Moved to			
Style change			
Format change			
Moved deletion			
Inserted cell			
Deleted cell			
Moved cell			
Split/Merged cell			
Padding cell			

Statistics:				
	Count			
Insertions	515			
Deletions	296			
Moved from	30			
Moved to	30			
Style change	0			
Format changed	74			
Total changes	945			